

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

REMARKS

Applicant thanks the Examiner for the detailed study of the present application. Claims 1-33 are pending application. In view of the foregoing and the arguments set forth below, it is respectfully submitted that all of the claims are patentable.

I. The 35 U.S.C. § 101 Rejection

In the Office Action mailed January 30, 2006, the Examiner raised a § 101 non-statutory subject matter with respect to independent Claim 29, and helpfully suggested that Applicant amend the preamble of this claim to recite "a computer-readable medium on a tangible embodiment," which Applicant did in the Amendment After Final filed April 27, 2006. However, the Examiner now repeats the same § 101 rejection found in the January 30, 2006 Office Action in the present Office Action mailed June 22, 2006. Accordingly, since Applicant has already made the amendment suggested by the Examiner, it is believed that this rejection was repeated in the present Office Action by mistake, and that the rejection has already been overcome. As such, Applicant requests that this rejection be withdrawn.

II. The 35 U.S.C. § 112 Rejections

(a) Written Description Rejection

The Examiner objected to the claim language added to independent 1, 12, 18, 24, and 29 in the above-noted Amendment After Final reciting that polling occurs "without device

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

initiated commands ... " for failing to comply with the written description requirement. In particular, the Examiner was not clear where the support for this recitation is provided in the specification.

Applicant first directs the Examiner's attention to paragraph 0036 of the originally filed specification, where it is noted that the communications devices 11, 12 may include software clients that are used to provide access to data (e.g., email data, etc.) stored on data storage devices 16, 18, 20, for example. Furthermore, paragraph 0051 then goes on to state that these software clients "need not initiate data access requests in all embodiments." That is, in some embodiments the protocol interface device 14 may include (or communicate with) a polling or aggregation engine module that prompts the protocol engine module 32 to aggregate messages for respective users from the mail systems 24, 26, 28. Thus, paragraph 0051 makes readily clear that while in some embodiments the software clients on mobile devices can initiate polling for data files (e.g., email messages), the protocol engine module of the protocol interface device, for example, may also initiate such polling operations without device software client involvement, i.e., without device initiated commands. Therefore, the specification provides ample support for the prior amendments to the above-noted independent claims, and it is therefore requested that this first § 112 rejection be withdrawn.

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

(b) Clarity Rejection

The Examiner also now contends that the use of the term "protocol" in the claims is somehow unclear. As the basis for this assertion, the Examiner points to the last sentence of the Abstract of the present application, and indicates that this sentence is the definition Applicant provides for "protocol" as used in Claims 1-33. This sentence reads "[t]he protocol engine module may also poll the data storage devices for UUIDs of data files stored thereon, and cooperate with the protocol converter module to provide UUIDs for respective data files to the MWCDs upon receiving access requests therefrom." The Examiner then contends that this renders the term indefinite in the claims in view of the "accepted meaning" of "communications protocol" as found in the Microsoft Computer Dictionary, Fourth Edition. Office Action mailed June 22, 2006, page 3. This definition is reproduced below.

"communications protocol n. A set of rules or standards designed to enable computers to connect with one another and to exchange information with as little error as possible. The protocol generally accepted for standardizing overall computer communications is a seven-layer set of hardware and software guidelines known as the OSI (Open System Interconnection) model. A somewhat different standard, widely used before the OSI model was developed, is IBM's SNA (Systems Network Architecture). The word *protocol* is often used, sometimes confusingly, in reference to a multitude of standards affecting different aspects of communication, such as file transfer (for example, XMODEM and ZMODEM), handshaking (for example,

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

XON/XOFF), and network transmissions (for example, CSMA/CD). *See also ISO/OSI model, SNA.*" (Italics in original).

Applicant respectfully submits that this rejection is in error. As an initial matter, the sentence that the Examiner quotes from the Abstract of the present invention is not even a definition of the term "protocol." Rather, this sentence is merely a summary of the language used in the independent claims. However, as previously stated in the above-noted Amendment After Final, what Applicant means by the term "operating protocol" used throughout the claims is clearly defined on page 11 in paragraphs 0041-0042 of the originally filed specification. In particular, as the plain language of the term states, an "operating protocol" is a protocol that a given wireless communications device or data storage device uses for operating. Paragraphs 0041-0042 then provide specific examples of what such operating protocols are, which include the Wireless Application Protocol (WAP), Post Office Protocol (POP), Internet Message Access Protocol (IMAP), Hypertext Transfer Protocol (HTTP), etc. Accordingly, it would be immediately clear to one of ordinary skill in the art what the claim terminology "operating protocol" means, as there is a multiplicity of very specific examples thereof provided in the specification.

The definition of "communications protocol" cited by the Examiner comes from a computer (as in "personal computer") dictionary from a computer software manufacturer, so it is not surprising that this definition is somewhat narrow and specific

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: **February 12, 2004**

in its focus. As the names of the above-noted protocols indicate, "protocols" are not limited to computer protocols alone, although the Microsoft Computer Dictionary definition does not go beyond this limited scope in its definition. A more appropriate definition would be one such as found at <http://www.unitedyellowpages.com/internet/terminology.html#P>:

"Protocol

On the Internet "protocol" usually refers to a set of rules that define an exact format for communication between systems. For example the HTTP protocol defines the format for communication between web browsers and web servers, the IMAP protocol defines the format for communication between IMAP email servers and clients, and the SSL protocol defines a format for encrypted communications over the Internet.

Virtually all Internet protocols [sic] are defined in RFC documents.

FTP, HTTP, IMAP, POP, PPP, RFC, SLIP, SMTP, SNMP, SSL, TCP/IP, UDP"

Accordingly, the term "protocol" as used in Claims 1-33 is clear, and the § 112 rejection directed thereto should be withdrawn.

III. The Claimed Invention

The present invention is directed to a communications system. As recited in independent Claim 1, for example, the system includes a plurality of mobile wireless communications devices each using at least one of a plurality of different

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

operating protocols as configuration commands and instructions for accessing electronic mail and data systems to send at least one access request. The system further includes a plurality of data storage devices for storing data files, where each data file is associated with a respective mobile wireless communications device, and each data file has a unique identification (UID) associated therewith. Moreover, each data storage device uses at least one of the plurality of different operating protocols. The system also includes a protocol interface device including a protocol converter module for communicating with the plurality of mobile wireless communications devices using respective operating protocols thereof, and a protocol engine module for communicating with the plurality of data storage devices using respective operating protocols thereof. The protocol engine module is also for polling the data storage devices for UIDs of data files stored thereon, and for cooperating with the protocol converter module to provide UIDs for respective data files to the mobile wireless communications devices upon receiving access requests therefrom. More particularly, the polling occurs without device initiated commands whether there is or is not communications with a mobile wireless communications device to maintain UID's current to within a polling interval and reducing latency when communication occurs.

Independent Claims 12 and 18 are directed to related protocol interface devices. Moreover, independent Claim 24 is directed to a related method, and independent Claim 29 is directed to a related computer-readable medium.

In re Patent Application of:
ROY
Serial No. **10/777,871**
Filing Date: **February 12, 2004**

IV. The Claims Are Patentable

The Examiner rejected independent Claims 1, 12, 18, 24, and 29 based upon U.S. Patent Publication No. 2003/0004955 to Cedola et al. (hereinafter "Cedola") in view of U.S. Patent Publication No. 2002/0026513 to Hoglund et al. (hereinafter "Hoglund"). Cedola is directed to a system for translating events originally identified as "change" events in one replication protocol to "add" events in another replication protocol where appropriate. More particularly, a WebDAV-based system interacts with a non-WebDAV based system. On a first replication transaction between the two systems, a sync state table is created on an intermediate server or a server that facilitates communication between the two systems. The sync state table is linked to the non-WebDAV system for future replication transactions. The sync state table maintains a list of objects that have been sent to the non-WebDAV system in past replication transactions. Thereafter, for each replication transaction, a manifest of changes since the last replication transaction is transmitted from the WebDAV system to the intermediate server. The manifest includes information in accordance with the WebDAV protocol, i.e., without notice of add events. For each change event in the manifest, the object reported as changed is compared to the list of objects in the sync state table from the previous transaction. If the object does not exist in the table then the intermediate server changes the object's type from a change event to an add event and the object is added to the sync state table.

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

When the manifest has been fully processed, the sync state table is "persisted" for future use. See, e.g., Cedola, paragraphs 0004-0006.

While the Examiner correctly acknowledges that Cedola fails to teach or fairly suggest that polling occurs without device initiated commands whether there is or is not communications with a mobile wireless communications device to maintain UID's current to within a polling interval and reducing latency when communication occurs, he contends that Hoglund properly provides this deficiency. Hoglund is directed to a communications system for transmitting and/or receiving signals to/from at least a first communication device from/to at least a second communication device at least via a user specified real time and/or a polled transmission.

As support for this contention, the Examiner points to paragraphs 0034-0036 of Hoglund. As discussed in paragraph 0031 and illustrated in FIG. 5 of Hoglund, for example, in this system messages are transferred either via a messenger gateway 502 or an agent gateway 504 depending upon the particular address used. The reason for two different types of gateways is described in paragraph 0035, which is reproduced below.

"[0035] The agent gateways and/or messenger gateways thus allow a single user to hold more than one e-mail account, and access each of those accounts via a single wireless device, although other standard methods are additionally and optionally provided as well. For example, a user may have a personal and/or corporate POP and/or

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

IMAP based account and a second account associated with the MotientSM network having an @2way.net domain name. The combined system is capable of routing messages from the personal account to the network account. Similarly, in sending a message from a wireless device 402, 404, 406 via the network account, the user may use the agent gateway so that the message is not sent to the intended recipient immediately, but is polled. In this case, the sender is not particularly concerned that the recipient receives the message on a real time basis (i.e., as soon as possible). A user can also gain added flexibility by, for example, giving his network account to whom he wishes to receive message from as soon as possible, and give his POP or IMAP e-mail account to those whom he does not need to receive messages from on a real time or near real time basis." (Emphasis added).

Thus, messenger gateways 502 are used for immediately forwarding emails in "real-time" (i.e., emails are not stored for later polling and retrieval), and the agent gateways 504 are used for polling messages that are stored for later delivery. Accordingly, there are no polling operations performed by the messenger gateways 504, only the agent gateways 502. Paragraph 0034 of Hoglund, which is reproduced below, describes the polling operation of the agent gateway.

"0034] Another example of a message transmission occurs when the message transmission path defaults to an agent gateway. In this example, a user's wireless device 402, 404, 406 is configured to poll an e-mail mailbox (e.g., POP or IMAP) associated with the user's desktop and/or laptop

In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: February 12, 2004

PC. The storage for the e-mail mailbox will generally, but does not have to, reside on a remote server. Such polling may occur manually (i.e., a user specifically perform one or more commands to retrieve messages), or automatically on a predetermined basis (e.g., every 30 minutes). The agent gateway preferably accesses the mailbox via a network such as the Internet, retrieves any message(s) therein, and temporarily stores the messages on the agent gateway or server associated therewith. The agent gateway then directs the messages to the wireless device that has the address associated with that mailbox via an ACE 414, a RF/RNC 412, and a base station 410. This addressing and mapping between the wireless device and the mailbox is preferably performed by the user by, for example, a user registration process and device via, for example, a web server." (Emphasis added).

Thus, in the Hoglund system, it is the wireless devices that initiate polling by instructing the agent gateway to perform a polling operation, either on a fixed schedule or at the user's direction (i.e., manually). Accordingly, Hoglund teaches the exact opposite of what the Examiner contends. That is, Hoglund teaches that polling occurs only upon the occurrence of device-initiated commands. In stark contrast, the above-noted independent claims recite that polling occurs without device initiated commands whether there is or is not communications with a mobile wireless communications device.

As such, the proposed combination of references not only fails to teach or fairly suggest all of the recitations of the above-noted independent claims, Hoglund expressly teaches away from such a combination by requiring that the wireless


In re Patent Application of:
ROY
Serial No. 10/777,871
Filing Date: **February 12, 2004**

communications devices initiate polling operations. Therefore, independent Claims 1, 12, 18, 24, and 29 are patentable over the prior art. Their respective dependent claims, which recite still further distinguishing features, are also patentable and require no further discussion herein.

CONCLUSIONS

In view of the foregoing, it is submitted that all of the claims are patentable. Accordingly, a Notice of Allowance is respectfully requested in due course. Should any minor informalities need to be addressed, the Examiner is encouraged to contact the undersigned at the telephone number listed below.

Respectfully submitted,



JOHN F. WOODSON, II
Reg. No. 45,236
Allen, Dyer, Doppelt, Milbrath
& Gilchrist, P.A.
255 S. Orange Avenue, Suite 1401
Post Office Box 3791
Orlando, Florida 32802
Phone: 407-841-2330
Attorney for Applicant